

SDS

Safety Data Sheet

Berkebile Oil Company

B1500/ B1501/ B15002/ B15005/ B150055

SDS Number: 10534

Revision Date: 06/10/2020

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

The Berkebile Oil Company
Address 1216 Red Brant Road
Somerset, PA 15501
Phone 814-443-1656
Fax 814-443-2873
Chemtrec Emergency Tel # 800-424-9300

Product Name: B1500/ B1501/B15002 B15005/ B150055
Description: Power Steering Fluid
Revision Date: 05/15/2015

For emergencies contact Chemtrec at 1-800-424-9300

2 HAZARDS IDENTIFICATION

GHS Signal Word:
NONE

GHS Classifications:
None, None, None

GHS Phrases:
H000 - None

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

| Chemical Name | Percentage | CAS# |
|---|------------|-------------|
| Petroleum, solvent dewaxed heavy paraffinic oil | > 90 | 64742-65-0 |
| Additives | < 10 | Proprietary |

SDS

Safety Data Sheet Berkebile Oil Company

B1500/ B1501/ B15002/ B15005

SDS Number: 10534

Revision Date: 05/14/2015

Page 2 of 4

4 FIRST AID MEASURES

- Inhalation:** If symptoms develop, move victim to fresh air.
If symptoms persist, obtain medical attention.
- Skin Contact:** Wash with soap and water.
Remove contaminated clothing and wash before reuse.
Get medical attention if needed.
- Eye Contact:** Flush with water for several minutes.
If effects occur, consult a physician.
- Ingestion:** Rinse mouth with water.
If symptoms develop, obtain medical attention.

5 FIRE FIGHTING MEASURES

- Flash Point:** 148.9 C (300 F)
Flash Point Method: PMCC
- Use dry powder, foam, or carbon dioxide fire extinguishers.
Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.

6 ACCIDENTAL RELEASE MEASURES

- Contain spilled material.
Collect in suitable and properly labeled containers.
Pick up excess with inert absorbent material
Keep away from drains and ground water.

7 HANDLING AND STORAGE

- Handling Precautions:** Avoid contact with eyes, skin, or clothing.
Keep away from sources of ignition.
Handle with care and avoid spillage on the floor (slippage).
- Storage Requirements:** Keep away from sources of ignition.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).
- Personal Protective Equip:** Use of safety glasses and gloves are recommended.

SDS

Safety Data Sheet Berkebile Oil Company

B1500/ B1501/ B15002/ B15005

SDS Number: 10534

Revision Date: 05/14/2015

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Amber
Physical State: Liquid
Boiling Point: > 425 F
Solubility: Nil in water

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.
Conditions to Avoid: High temperatures and open flame.

11 TOXICOLOGICAL INFORMATION

Repeated skin contact with this product may cause dermatitis or an oil acne.
No test data available on product.
No component is listed as a carcinogen, mutagen, or teratogen.
LD50 / LC50 - No data available

12 ECOLOGICAL INFORMATION

Avoid exposing to the environment, no specific aquatic data available

13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.
Do not flush to surface water or drains

14 TRANSPORT INFORMATION

Not regulated by DOT

15 REGULATORY INFORMATION

This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act (TSCA).

SDS

Safety Data Sheet

Berkebile Oil Company

B1500/ B1501/ B15002/ B15005

SDS Number: 10534

Revision Date: 05/14/2015

Page 4 of 4

16

OTHER INFORMATION

The information contained in this Safety Data Sheet relates only to the specific material designated. Berkebile Oil Co. assumes no legal responsibility for use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Berkebile Oil Co.