

Safety Data Sheet

Berkebile Oil Co.

B5340
Multi-Purpose ATF Fluid

SOS Number: 10502

Revision Date: 6/2/15

Page 1 of 4

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Manufacturer Name	The Berkebile Oil Company
Address	1216 Red Brant Road Somerset, PA 15501,
Phone	814-443-1656
Email	info@berkebileoil.com
Fax	814-443-2873
Chemtrec Emergency Tel #	800-424-9300

Product Name:	B5340
Revision Date:	6/2/15
SDS Number:	10502
Common Name:	Hydrotreated heavy paraffinic Oil
CAS Number:	Blend
Product Code:	10502
Synonyms:	Automatic transmission fluid, Petroleum based lubricant

For emergencies contact Chemtrec at 1-800-424-9300

HAZARDS IDENTIFICATION

GHS Signal Word:
NONE

GHS Classifications:
Environmental, Hazards to the aquatic environment - Chronic, 3

GHS Phrases:
H412 - Harmful to aquatic life with long lasting effects

GHS Precautionary Statements:
P273 - Avoid release to the environment.

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Chemical Name	Percentage	CAS#
Petroleum, solvent dewaxed heavy paraffinic oil	75 - 85	64742-65-0
Additives	20 - 25	Proprietary

Safety Data Sheet

Berkebile Oil Co.

SDS

B5340
Multi-Purpose ATF Fluid

SOS Number: 10502

Revision Date: 6/2/15

Page 2 of 4

4 FIRST AID MEASURES

- Inhalation: If symptoms develop, move victim to fresh air.
If symptoms persist, obtain medical attention.
- Skin Contact: Wash with soap and water.
Remove contaminated clothing and wash before reuse.
Get medical attention if needed.
- Eye Contact: Flush with water for several minutes.
If effects occur, consult a physician.
- Ingestion: Rinse mouth with water.
If symptoms develop, obtain medical attention.

5 FIRE FIGHTING MEASURES

- Flash Point: 204.4 C (400 F)
Flash Point Method: COC
- Use dry powder, foam, or carbon dioxide fire extinguishers.
Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.

ACCIDENTAL RELEASE MEASURES

- Contain spilled material.
Collect in suitable and properly labeled containers.
Pick up excess with inert absorbent material
Keep away from drains and ground water.

7 HANDLING AND STORAGE

- Handling Precautions: Avoid contact with eyes, skin, or clothing.
Keep away from sources of ignition.
Handle with care and avoid spillage on the floor (slippage).
- Storage Requirements: Keep away from sources of ignition.

SDS

B5340
Multi-Purpose ATF Fluid

SOS Number: 10502

Revision Date: 6/2/15
Page 3 of 4

8 **EXPOSURE CONTROLS/PERSONAL PROTECTION**

Engineering Controls: All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).

Personal Protective Equip: Use of safety glasses and gloves are recommended.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Red	Solubility:	Nil in water
Physical State:	Liquid	Freezing/Melting Pt.:	-40 F pour point
Spec Grav./Density:	0.872 at 60 F (Water = 1)		
Viscosity:	7 est at 40 degrees C		

10 **STABILITY AND REACTIVITY**

Stability: Product is stable under normal conditions.

Conditions to Avoid: High temperatures and open flame.

11 **TOXICOLOGICAL INFORMATION**

Repeated skin contact with this product may cause dermatitis or an oil acne.

No test data available on product.

No component is listed as a carcinogen, mutagen, or teratogen.

LD50 / LC50 - No data available

ECOLOGICAL INFORMATION

Avoid exposing to the environment, no specific aquatic data available

DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

Do not flush to surface water or drains

14 **TRANSPORT INFORMATION**

Not regulated by DOT

Safety Data Sheet

Berkebile Oil Co.

SDS

B5340
Multi-Purpose ATF Fluid

SOS Number: 10502

Revision Date: 6/2/15

Page 4 of 4

REGULATORY INFORMATION

This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act (TSCA).

OTHER INFORMATION

The information contained in this Safety Data Sheet relates only to the specific material designated. Berkebile Oil Co. assumes no legal responsibility for use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Berkebile Oil Co.