SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Mixture CAS No. Mixture

Trade Name Berkebile B-1100 2+2 Super Cleaner

Product Code SP-500859

Relevant identified uses of the substance or mixture and uses advised against

Supplier Details

Manufacturer Name The Berkebile Oil Company Address 1216 Red Brant Road

Somerset, PA 15501, PO BOX 715

Phone 814-443-1656

Email info@berkebileoil.com

Fax 814-443-2873 Chemtrec Emergency Tel # 800-424-9300

Emergency telephone number

Emergency Phone No. Transportation Emergency: CHEMTREC 24 hr. 1-800-424-

9300 / 1 (703) 527-3887 (Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Flam. Aerosol 2; Liquefied gas; Eye Irrit. 2

Label elements

Hazard Symbol



Signal word(s)

Hazard Statement(s)

Flammable aerosol

Contains gas under pressure; may burst if heated.

Causes serious eye irritation.

Revision: June 10, 2015 Page: 1/6

Precautionary Statement(s)

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Wear eye/face protection.

Wash hands and exposed skin after use.

Protect from sunlight and do not expose to temperatures exceeding 50

°C/122 °F.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation continues and persists, get medical attention.

Keep out of reach of children.

Other hazards None known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	% wt. *	CAS No.	Hazard classification
Propane	1 - 5	74-98-6	Flam. Gas 1, H220 Liquefied gas; H280
Butane	1 - 5	106-97-8	Flam. Gas 1, H220 Liquefied gas; H280
Proprietary components	1 – 5	Trade Secret	Skin Irrit. 2; H315 Eye Irrit. 2; H319
Proprietary components	0.5 – 1	Trade Secret	Eye Dam. 1; H318

Additional Information - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.: None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Move person to fresh air. If breathing is labored, administer oxygen. If

symptoms develop, obtain medical attention.

Skin Contact Wash affected skin with soap and water. If symptoms develop, obtain

medical attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If symptoms

occur obtain medical attention.

Ingestion Do not give anything by mouth to an unconscious person. Seek medical

treatment.

Most important symptoms and effects, both acute and

delayed

None

Indication of any immediate medical attention and

special treatment needed

IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

Revision: June 10, 2015 Page: 2/6

^{*} The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

-Suitable Extinguishing Media Extinguish with carbon dioxide, dry chemical, foam or water spray.

-Unsuitable Extinguishing Media Do not use water jet.

Special hazards arising from the substance or

mixture

Highly flammable vapor (flash point below 23°C).

Advice for fire-fighters A self contained breathing apparatus and suitable protective clothing

should be worn in fire conditions. Keep containers cool by spraying

with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and

emergency procedures

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Take precautionary measures against static discharges. Avoid contact

with skin and eyes. Avoid breathing vapors.

Environmental precautions Prevent liquid entering sewers, basements and work pits.

Methods and material for containment and cleaning up Cover spills with inert absorbent material. Transfer to a container for

disposal or recovery.

Reference to other sections None

Additional Information None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling Keep away from heat/sparks/open flames/hot surfaces. – No

smoking. Avoid contact with skin and eyes. Use product in a well-

ventilated area only.

Conditions for safe storage, including any incompatibilities

-Storage temperature Keep in a cool, well ventilated place. Store at temperatures not

exceeding 50 °C / 122 °F.

-Incompatible materials This product should be stored away from sources of strong heat or

oxidizing chemicals.

Specific end use(s) Carpet cleaning agent

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

		(8hr TWA)		(STEL)		
		PEL	TLV	PEL	TLV	
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	(ACGIH)	Note:
n-Butane	106-97-8		250 ppm			
Propane	74-98-6	1000 ppm	Aspyx.#			#

^{*}Assure minimum oxygen content of work atmosphere.

Recommended monitoring method

None - Not normally required.

Exposure controls

Appropriate engineering controls Provide adequate ventilation to ensure that the occupational exposure

limit is not exceeded.

Personal protection equipment

Revision: June 10, 2015 Page: 3/6

Eye/face protection

Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber)



Respiratory protection

Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment.



Thermal hazards

Not normally required. Use gloves with insulation for thermal

protection, when needed.

Environmental Exposure Controls None known

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Liquid Appearance Color. Colorless Characteristic. Odor Odor Threshold (ppm) Not available pH (Value) Not available Not available Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): Not available Flash Point (°C) -104 (Propane)

Flash Point (°C)

Flash Point (°C)

Evaporation Rate

Flammability (solid, gas)

Flammable

Flammable

Explosive Limit Ranges

2.1% - 9.5% v/v (Propane)

Vapor pressure (Pascal)

Vapor Density (Air=1)

Ca. 1.56 @ 0 °C (Propane)

Page 14 (Air=1)

Not expelled to

Not available Density (g/ml) Solubility (Water) Not available Solubility (Other) Not available Partition Coefficient (n-Octanol/water) Not available Auto Ignition Point (°C) 450 (Propane) Decomposition Temperature (°C) Not available Kinematic Viscosity (cSt) Not available Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Other information Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactions None anticipated.

Conditions to avoid Avoid contact with heat and ignition sources.

Incompatible materials Strong oxidizing agents

Hazardous decomposition product(s)``` None known

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Revision: June 10, 2015 Page: 4/6

Acute toxicity LD50 >5000 mg/kg-bw Irritation / Corrosivity Causes serious eye irritation.

SECTION 12: ECOLOGICAL INFORMATION

Aquatic toxicity:

Short term Not available Long Term Not available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national

legislation. Consult an accredited waste disposal contractor or the

local authority for advice.

SECTION 14: TRANSPORT INFORMATION

	U.S. DOT	Sea transport (<u>IMDG)</u>	Air transport (ICAO/IATA)
UN number	1950	1950	1950
Proper Shipping Name	Aerosols, flammable	Aerosols, flammable	Aerosols, flammable
Transport hazard class(es)	2.1	2.1	2.1
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	None assigned	None assigned	None assigned
Special precautions for user	None assigned	None assigned	None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None			

SARA 311/312 - Hazard Categories:

☐ Fire ☐ Sudden Release ☐ Reactivity ☐ Immediate (acute) ☐ Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Safrole	94-59-7	<0.01

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None			

California Proposition 65 List:

Chemical Name	CAS No.	Type of Toxicity
Safrole	94-59-7	Cancer

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: May 27,2015

Revision: June 10, 2015 Page: 5/6

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H220: Extremely flammable gas.
- H280: Contains gas under pressure; may explode if heated.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.

Training advice: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Revision: June 10, 2015 Page: 6/6