

## ATF-V (B-5540)

SDS Number: 10511

Revision Date: 1/19/2015

Page 1 of 4

### 1 PRODUCT AND COMPANY IDENTIFICATION

#### Manufacturer

The Berkebile Oil Company, Inc.  
PO BOX 715  
Somerset, PA 15501-0715

Phone: 1-814-443-1656

**Product Name:** Berkebile ATF-V (B-5540)  
**Revision Date:** 1/19/2015  
**SDS Number:** 10511  
**CAS Number:** Blend  
**Product Code:** 10511  
**Synonyms:** Automatic transmission fluid, Petroleum based lubricant

For emergencies contact Chemtrec at 1-800-424-9300

### 2 HAZARDS IDENTIFICATION

GHS Signal Word:

N ONE

GHS Classifications:

E nvironmental, Hazards to the aquatic environment - Chronic, 3

GHS Phrases:

H 412 - Harmful to aquatic life with long lasting effects

GHS Precautionary Statements:

P 273 - Avoid release to the environment.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Chemical Name	Percentage	CAS#
Petroleum, solvent dewaxed heavy paraffinic oil	75 - 85	64742-65-0
Methacrylate copolymer	5 - 15	Proprietary
Polyolefin amide alkeneamine	2 - 5	Proprietary
Additives	20 - 25	Proprietary

## 4 FIRST AID MEASURES

- Inhalation:** If symptoms develop, move victim to fresh air.  
If symptoms persist, obtain medical attention.
- Skin Contact:** Wash with soap and water.  
Remove contaminated clothing and wash before reuse.  
Get medical attention if needed.
- Eye Contact:** Flush with water for several minutes.  
If effects occur, consult a physician.
- Ingestion:** Rinse mouth with water.  
If symptoms develop, obtain medical attention.

## 5 FIRE FIGHTING MEASURES

- Flash Point:** 217.8 C (424 F)  
**Flash Point Method:** COC
- Use dry powder, foam, or carbon dioxide fire extinguishers.  
Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.

## 6 ACCIDENTAL RELEASE MEASURES

- Contain spilled material.  
Collect in suitable and properly labeled containers.  
Pick up excess with inert absorbant material  
Keep away from drains and ground water.

## 7 HANDLING AND STORAGE

- Handling Precautions:** Avoid contact with eyes, skin, or clothing.  
Keep away from sources of ignition.  
Handle with care and avoid spillage on the floor ( slippage).
- Storage Requirements:** Keep away from sources of ignition.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).
- Personal Protective Equip:** Use of safety glasses and gloves are recommended.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Red	<b>Solubility:</b>	Nil in water
<b>Physical State:</b>	Liquid	<b>Freezing/Melting Pt.:</b>	-40 F pour point
<b>Spec Grav./Density:</b>	7.21 pounds per gallon at 60 Deg F		

## 10 STABILITY AND REACTIVITY

**Stability:** Product is stable under normal conditions.  
**Conditions to Avoid:** High temperatures and open flame.

## 11 TOXICOLOGICAL INFORMATION

Repeated skin contact with this product may cause dermatitis or an oil acne.  
No test data available on product.  
No component is listed as a carcinogen, mutagen, or teratogen.  
LD50 / LC50 - No data available

## 12 ECOLOGICAL INFORMATION

Avoid exposing to the environment, no specific aquatic data available

## 13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.  
Do not flush to surface water or drains

## 14 TRANSPORT INFORMATION

Not regulated by DOT

## 15 REGULATORY INFORMATION

This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act (TSCA).

# SDS

## **Safety Data Sheet** **The Berkebile Oil Company, Inc.**

SDS Number: 10511

Revision Date: 1/19/2015

Page 4 of 4

16

### **OTHER INFORMATION**

The information contained in this Safety Data Sheet relates only to the specific material designated. The Berkebile Oil Company, Inc. assumes no legal responsibility for use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of The Berkebile Oil Company, Inc..